

# ADS 3000 TripleWall<sup>®</sup>


HDPE Sewer & Drain/Leach Field Pipe



Twice the  
strength and  
toughness of  
ordinary  
pipe...

at the same  
price!

## Unique Manufacturing Technology



**Three bonded polyethylene layers for exceptional pipe stiffness.** A smooth inner wall is co-extruded with a corrugated structural core, which is then extrusion-laminated with a smooth white outer wall. This construction gives the pipe an unprecedented strength-to-weight ratio, and stiffness ratings at least double that of any competitive sewer and drain pipe.

## Performance Advantages

- **Strong.** ADS TripleWall high density polyethylene will not crack or flatten under typical loads.

- **Pipe stiffness**

	Minimum Pipe Stiffness per ASTM D 2412	
	4" Diameter	3" Diameter
ADS TripleWall	22 psi	40 psi
ASTM D 2729 PVC	11 psi	19 psi
ASTM F 810 PE	11 psi	19 psi

- **Durable.** Excellent resistance to impact damage, abrasion, and corrosion.
- **Light weight.** Virtually identical in weight to the same diameter corrugated HDPE pipe.

## Superior Assembly Design



**Injection molded high density polyethylene coupling is spun welded to the pipe.**

- Consistent dimensions and tolerances
- Deep tapered bell ensures tight fit
- Pipe will fit any standard Sewer & Drain fitting (PVC, Styrene, etc.)

# Applications

## Residential Drainage

- Downspout runoff
- Sump pump outlet
- Foundation/footer drainage
- Curtain drains



## Septic Leach Fields

- Standard 5/8" leach hole perforations
- Several hole orientations available



## Other Applications

- Retaining walls
- Agricultural drain outlets
- Irrigation
- Parks, golf courses



# Specifications



## Perforated Triple Wall Pipe

Part No.	Size		Part No.	Size
0352-0010	3"	2 hole	0452-0010	4" 2 hole
0353-0010	3"	3 hole	0453-0010	4" 3 hole




## Solid Triple Wall Pipe

Part No.	Size
0355-0010	3" Inside Diameter
0455-0010	4" Inside Diameter



## Triple Wall Fittings

Part No.	Size		Part No.	Size	
0471TW	4"	Coupling	0433 TW	4"	Drain Grate
0429TW	4"	22.5° bend	0432 TW	4"	Cap
0494TW	4"	45° elbow	0482 TW	4"	Downspout Adapter
0499TW	4"	90° elbow	0480 TW	4"	Wye
0460TW	4"	Tee			



### CUSTOMER SERVICE CENTERS

- **MIDWEST / NORTHEAST**  
LONDON, OH  
1-800-733-9554
- **SOUTHERN**  
FRANKLIN, TN  
1-800-733-9987
- **WESTERN**  
WASHOUGAL, WA  
1-800-733-8523
- MANUFACTURING FACILITY LOCATIONS

### ADVANCED DRAINAGE SYSTEMS, INC.

4640 TRUEMAN BLVD., HILLIARD, OH 43026  
800-821-6710 www.ads-pipe.com



**THE MOST  
ADVANCED  
NAME IN  
DRAINAGE  
SYSTEMS®**